

BIOQUELL HYDROGEN PEROXIDE STERILANT

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BIOQUELL HYDROGEN PEROXIDE STERILANT

Other means of identification : Not applicable

Recommended use : Surface Disinfectant

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Bioquell, Inc

702 Electronic Drive, Suite 200

19044 Horsham, USA (215) 682 0225 +1 215 682 0395

Bioquell.consumables@ecolab.com

Emergency telephone : United States of America: +1 760 476 3962. Use access code:

333809

Issuing date : 06.06.2022

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing liquids : Category 2
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Skin irritation : Category 2
Serious eye damage : Category 1

Specific target organ toxicity - : Category 3 (Respiratory system)

single exposure

Short-term (acute) aquatic : Category 2

hazard

Long-term (chronic) aquatic

hazard

: Category 3

GHS label elements

Hazard pictograms







Signal Word : Danger

Hazard Statements : May intensify fire; oxidizer.

Harmful if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye damage. May cause respiratory irritation.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other

921843 1 / 8 06.06.2022

BIOQUELL HYDROGEN PEROXIDE STERILANT

ignition sources. No smoking. Keep away from clothing and other combustible materials. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. If skin irritation occurs: Get medical advice/ attention. In case of fire: Use water spray to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

Hydrogen peroxide 7722-84-1 30 - 60

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Get medical attention if irritation develops and

persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water

Unsuitable extinguishing : Dry chemical

921843 2 / 8 06.06.2022

BIOQUELL HYDROGEN PEROXIDE STERILANT

media Carbon dioxide (CO2)

Foam

Specific hazards during fire

fighting

: Oxidizer. Contact with other material may cause fire.

Hazardous combustion

products

: Decomposition products may include the following materials:

Oxygen

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed. Eliminate any possible source of ignition.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. Isolate absorbed wastes contaminated with this product from other waste streams containing combustible materials (paper, wood fibers, cloth, etc.). Combustible materials exposed to this product should be rinsed immediately with large amounts of water to ensure that all product is removed. Residual product which is allowed to dry on organic materials such as rags, cloths, paper, fabrics, cotton, leather, wood, or other combustibles may spontaneously ignite and result in a fire.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Do not ingest. Avoid contact with skin and eyes. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Do not store on wooden pallets. Keep in the original container only, in a cool and well-ventilated place, out of the light and away from combustible materials and reducing agents (amines), acids, bases, heavy metal compounds (accelerators, siccative agents, metallic salts). Keep away from reducing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 25 °C

921843 3 / 8 06.06.2022

BIOQUELL HYDROGEN PEROXIDE STERILANT

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
|-------------------|-----------|------------------|---------------------------|-----------|
| Hydrogen peroxide | 7722-84-1 | CMP | 1 ppm | AR OEL |
| Hydrogen peroxide | 7722-84-1 | TWA | 1 ppm | ACGIH |
| | | TWA | 1 ppm | NIOSH REL |
| | | | 1,4 mg/m3 | |
| | | TWA | 1 ppm | OSHA Z-1 |
| | | | 1,4 mg/m3 | |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, colorless

Odor : odorless

pH : 1,5 - 3,5, (100 %)

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available

921843 4 / 8 06.06.2022

BIOQUELL HYDROGEN PEROXIDE STERILANT

Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available

: 1,1 - 1,2 Relative density Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: log Pow: -1,57Method: Calculated

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : 0,980 mm2/s (40 °C)

Explosive properties : No data available

Oxidizing properties

Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Contamination may result in dangerous pressure increases - closed

containers may rupture.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Freezing temperatures.

Heat.

Exposure to sunlight.

Incompatible materials : Organic materials

Bases

Strong oxidizing agents Reducing agents Strong acids Metals

Heavy metal salts

Combustible material

Hazardous decomposition

products

In case of fire hazardous decomposition products may be produced

such as: Oxygen

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

: Causes serious eye damage. Eyes

921843 06.06.2022 5/8

BIOQUELL HYDROGEN PEROXIDE STERILANT

Skin : Causes skin irritation.

Ingestion : Harmful if swallowed.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation. Harmful if inhaled.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Irritation

Ingestion : No information available.

: Respiratory irritation, Cough Inhalation

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : 1.389 mg/kg

: 4 h Acute toxicity estimate : 2 mg/l Acute inhalation toxicity

Test atmosphere: dust/mist

Acute dermal toxicity : No data available Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

: No data available Carcinogenicity Reproductive effects : No data available Germ cell mutagenicity : No data available : No data available Teratogenicity STOT-single exposure : No data available STOT-repeated exposure : No data available

Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : No data available : No data available Toxicity to daphnia and other

aquatic invertebrates

: No data available Toxicity to algae

BIOQUELL HYDROGEN PEROXIDE STERILANT

Components

Toxicity to fish : Hydrogen peroxide

96 h LC50 Pimephales promelas: 16,4 mg/l

Components

Toxicity to daphnia and other : Hydrogen peroxide

aquatic invertebrates 48 h LC50 Daphnia magna (Water flea): 2,4 mg/l

Components

Toxicity to algae : Hydrogen peroxide

72 h EC50 Skeletonema costatum (marine diatom): 1,38 mg/l

Persistence and degradability

Not applicable - inorganic

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate storm water drains, natural waterways or soil with

chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved

waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 2014

Description of the goods : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Class : 5.1 (8)
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 2014

Proper shipping name : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Class : 5.1 (8) Packing group : II

921843 7 / 8 06.06.2022

BIOQUELL HYDROGEN PEROXIDE STERILANT

Marine pollutant : no

Self-Accelerating : 60 °C

decomposition temperature


(SADT)

SECTION 15. REGULATORY INFORMATION

Argentina: Our Material Safety Data Sheet (MSDS) complies with the Resolution R.S.T. 801/15.

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Issuing date : 06.06.2022

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.